

# STEAM TABLE PANS AND ACCESSORIES

Made of durable, stainless steel, POLAR WARE's Classic Pans make clean-up a breeze.



Unique anti-jam pans stack and lift out easily.



## POLAR WARE Classic Pans

- ◆ Anti-Jam Corner Shoulder for Easy Stacking
- ◆ Smooth, Strong, Continuous Flange for Durability and Comfort in Use
- ◆ Extra Sanitary, Non-Concave Corners
- ◆ NSF - Listed

**PROFESSIONAL QUALITY ANTI-JAM STEAM TABLE PANS MANUFACTURED IN THE U.S.A.**

## The Quality You Demand.

**The First** - POLAR WARE was the first to manufacture a patented anti-jam steam table pan. POLAR WARE has been deep drawing stainless steel since 1926.

**U.S.A. Made** - POLAR WARE steam table pans are manufactured in the United States with stainless steel produced in United States steel mills.

**The Cleanest** - POLAR WARE's anti-jam pan has the cleanest design in the market. No creased corner flange. No shoulder around the pan wall perimeter. Only a corner shoulder to prevent jamming. POLAR WARE's design is the easiest cleaning, least susceptible to contamination.

**Large Selection** - POLAR WARE offers the original anti-jam steam table pan in 20 and 22 gauge stainless steel, and now re-introduces its 24 gauge product.

Manufactured in the U.S.A.



**POLAR WARE**

# Anti-Jam Classic Pans

## A. FULL SIZE PANS — Fits 19<sup>1</sup>/<sub>8</sub>" x 11<sup>1</sup>/<sub>8</sub>" Opening




Standard Weight (22 Ga.)		Economy Weight (24 Ga.)		Heavy Weight (20 Ga.)		Capacity	Depth
Number	Case Lot-Wt.	Number	Case Lot-Wt.	Number	Case Lot-Wt.		
E20121	6-14.9 lbs.					3 <sup>1</sup> / <sub>2</sub> Qt.	1 <sup>1</sup> / <sub>4</sub>
E20122	6-17.0 lbs.	G20122	6-13.4 lbs.	S20122	6-20.3 lbs.	7 <sup>1</sup> / <sub>2</sub> Qt.	2 <sup>1</sup> / <sub>2</sub>
E20124	6-23.3 lbs.	G20124	6-18.3 lbs.	S20124	6-26.4 lbs.	14 <sup>1</sup> / <sub>2</sub> Qt.	4
E20126	6-27.7 lbs.	G20126	6-21.8 lbs.	S20126	6-33.5 lbs.	24 Qt.	6
		S2008D is Not Anti-Jam.		S2008D		3-20.7 lbs.	8

### COVERS

2000-2	Solid — Fits all above pans	6-15.4 lbs.
2000-6*	Slotted — Fits all above pans	6-15.4 lbs.
201-2	Solid Cook-Chill — Fits E20122 and S20122	6-17.3 lbs.

\*Slotted covers are not NSF-listed.



A. FULL SIZE

## B. HALF SIZE PANS — Fits 11<sup>1</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>2</sub>" Opening




Standard Weight (22 Ga.)		Economy Weight (24 Ga.)		Heavy Weight (20 Ga.)		Capacity	Depth
Number	Case Lot-Wt.	Number	Case Lot-Wt.	Number	Case Lot-Wt.		
E12101	6-6.9 lbs.					2 Qt.	1 <sup>1</sup> / <sub>4</sub>
E12102	6-8.8 lbs.	G12102	6-6.5 lbs.	S12102	6-10.4 lbs.	4 Qt.	2 <sup>1</sup> / <sub>2</sub>
E12104	6-12.4 lbs.	G12104	6-9.5 lbs.	S12104	6-14.5 lbs.	7 Qt.	4
E12106	6-14.8 lbs.	G12106	6-11.4 lbs.	S12106	6-17.3 lbs.	10 <sup>1</sup> / <sub>4</sub> Qt.	6
		S1318D is Not Anti-Jam; made to order, half size only.		S1318D		4-13.6 lbs.	8

### COVERS

1311-2	Solid — Fits all above pans	6-8.0 lbs.
1311-6*	Slotted — Fits all above pans	6-8.0 lbs.
131-2	Solid Cook-Chill — Fits E12102 and S12102	6-7.1 lbs.

\*Slotted covers are not NSF-listed.



B. HALF SIZE

## C. THIRD SIZE PANS — Fits 11<sup>1</sup>/<sub>8</sub>" x 6<sup>1</sup>/<sub>4</sub>" Opening




Standard Weight (22 Ga.)		Economy Weight (24 Ga.)		Heavy Weight (20 Ga.)		Capacity	Depth
Number	Case Lot-Wt.	Number	Case Lot-Wt.	Number	Case Lot-Wt.		
E12062	6-6.5 lbs.	G12062	6-2.2 lbs.	S12062	6-7.5 lbs.	2 <sup>1</sup> / <sub>4</sub> Qt.	2 <sup>1</sup> / <sub>2</sub>
E12064	6-9.3 lbs.	G12064	6-6.9 lbs.	S12064	6-10.7 lbs.	4 <sup>1</sup> / <sub>2</sub> Qt.	4
E12066	6-11.7 lbs.	G12066	6-9.7 lbs.	S12066	6-13.5 lbs.	6 <sup>1</sup> / <sub>4</sub> Qt.	6

### COVERS

302-2	Solid — Fits all above pans	6-4.6 lbs.
302-6*	Slotted — Fits all above pans	6-4.5 lbs.

\*Slotted covers are not NSF-listed.



C. THIRD SIZE

# Anti-Jam Classic Pans



D. QUARTER SIZE

## D. QUARTER SIZE PANS — Fits 9½" x 5½" Opening




Standard Weight (22 Ga.)		Economy Weight (24 Ga.)		Capacity	Depth
Number	Case Lot-Wt.	Number	Case Lot-Wt.		
E10062	6-5.3 lbs.	G10062	6-4.5 lbs.	1 <sup>5</sup> / <sub>8</sub> Qt.	2½
E10064	6-7.5 lbs.	G10064	6-6.0 lbs.	2 <sup>7</sup> / <sub>8</sub> Qt.	4
E10066	6-9.5 lbs.	G10066	6-7.8 lbs.	4 <sup>3</sup> / <sub>8</sub> Qt.	6

### COVERS

402-2	Solid — Fits all above pans	6-3.4 lbs.
402-6*	Slotted — Fits all above pans	6-3.3 lbs.

\*Slotted covers are not NSF-listed.



E. SIXTH SIZE

## E. SIXTH SIZE PANS — Fits 6½" x 5½" Opening




Standard Weight (22 Ga.)		Economy Weight (24 Ga.)		Capacity	Depth
Number	Case Lot-Wt.	Number	Case Lot-Wt.		
E06062	6-3.2 lbs.	G06062	6-2.3 lbs.	1 Qt.	2½
E06064	6-5.0 lbs.	G06064	6-4.0 lbs.	1 <sup>7</sup> / <sub>8</sub> Qt.	4
E06066	6-6.6 lbs.	G06066	6-5.5 lbs.	2 <sup>5</sup> / <sub>8</sub> Qt.	6

### COVERS

602-2	Solid — Fits all above pans	6-2.4 lbs.
602-6*	Slotted — Fits all above pans	6-2.1 lbs.

\*Slotted covers are not NSF-listed.



F. NINTH SIZE

## F. NINTH SIZE PANS<sup>†</sup> — Fits 6½" x 3½" Opening




Standard Weight (22 Ga.)			
Number	Case Lot-Wt.	Capacity	Depth
E902	12-6.0 lbs.	<sup>3</sup> / <sub>5</sub> Qt.	2
E904	12-8.1 lbs.	1 <sup>1</sup> / <sub>8</sub> Qt.	4

### COVERS

902-2	Solid — Fits all above pans	12-2.9 lbs.
902-6*	Slotted — Fits all above pans	12-2.9 lbs.

<sup>†</sup>Not Anti-Jam. \*Slotted covers are not NSF-listed.



G. PERFORATED PANS

## G. FULL & HALF SIZE PERFORATED PANS



Standard Weight (22 Ga.)			
Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
<b>FULL SIZE</b>			
P20121	3½ Qt.	20¾ x 12¾ x 1¼	6-13.8 lbs.
P20122	7½ Qt.	20¾ x 12¾ x 2½	6-15.4 lbs.
P20124	14½ Qt.	20¾ x 12¾ x 4	6-16.8 lbs.
P20126	24 Qt.	20¾ x 12¾ x 6	6-17.4 lbs.
<b>HALF SIZE</b>			
P12101	2 Qt.	12¾ x 10¾ x 1¼	6-6.8 lbs.
P12102	4 Qt.	12¾ x 10¾ x 2½	6-8.5 lbs.
P12104	7 Qt.	12¾ x 10¾ x 4	6-10.7 lbs.
P12106	10¼ Qt.	12¾ x 10¾ x 6	6-14.2 lbs.

Holes for perforated pans are ¼" in diameter.

800-237-3655

All Pan Capacities Based On A Fluid Fill Level To The Rim.

www.polarware.com

## Steam Pan Accessories

### H. HALF SIZE LONG PANS — Fits 19<sup>1</sup>/<sub>8</sub>" x 6<sup>1</sup>/<sub>4</sub>" Opening



Standard Weight (22 Ga.)

Number	Capacity	Dimensions (In.)			Case Lot-Wt.
		L	W	H	
E20062	3 <sup>1</sup> / <sub>2</sub> Qt.	20 <sup>3</sup> / <sub>4</sub>	x 6 <sup>3</sup> / <sub>8</sub>	x 2 <sup>1</sup> / <sub>2</sub>	6-9.9 lbs.
E20064	5 <sup>1</sup> / <sub>4</sub> Qt.	20 <sup>3</sup> / <sub>4</sub>	x 6 <sup>3</sup> / <sub>8</sub>	x 4	6-12.4 lbs.
E20066	8 <sup>3</sup> / <sub>4</sub> Qt.	20 <sup>3</sup> / <sub>4</sub>	x 6 <sup>3</sup> / <sub>8</sub>	x 6	6-16.5 lbs.
<b>COVER</b>					
2006-2	Solid — Fits all above pans			6-8.2 lbs.	



H. HALF SIZE LONG PANS

### I. TWO-THIRD SIZE PANS — Fits 13" x 11<sup>1</sup>/<sub>8</sub>" Opening



Standard Weight (22 Ga.)

Number	Capacity	Dimensions (In.)			Case Lot-Wt.
		L	W	H	
E2302	5 <sup>7</sup> / <sub>8</sub> Qt.	13 <sup>7</sup> / <sub>8</sub>	x 12 <sup>7</sup> / <sub>8</sub>	x 2 <sup>1</sup> / <sub>2</sub>	6-14.3 lbs.
E2304	9 <sup>3</sup> / <sub>4</sub> Qt.	13 <sup>7</sup> / <sub>8</sub>	x 12 <sup>7</sup> / <sub>8</sub>	x 4	6-17.3 lbs.
E2306	14 Qt.	13 <sup>7</sup> / <sub>8</sub>	x 12 <sup>7</sup> / <sub>8</sub>	x 6	6-20.4 lbs.
<b>COVER</b>					
2302-2	Solid — Fits all above pans			6-10.9 lbs.	



I. TWO-THIRD SIZE PAN

### J. FULL SIZE PAN WITH OFFSET SHOULDER Fits 19<sup>1</sup>/<sub>8</sub>" x 11<sup>1</sup>/<sub>8</sub>" Opening



Heavy Weight (18 Ga.)

Number	Capacity	Dimensions (In.)			Case Lot-Wt.
		L	W	H	
S2028D	30 <sup>1</sup> / <sub>2</sub> Qt.	21 <sup>3</sup> / <sub>4</sub>	x 13 <sup>3</sup> / <sub>4</sub>	x 8	4-38.5 lbs.
<b>COVER</b>					
2028-2	Solid — Fits above pan			4-19.1 lbs.	

S2028D has an offset shoulder extending 2" above steam table opening.

### K. HALF SIZE PAN WITH OFFSET SHOULDER Fits 11<sup>1</sup>/<sub>8</sub>" x 9<sup>1</sup>/<sub>2</sub>" Opening



Heavy Weight (20 Ga.)

Number	Capacity	Dimensions (In.)			Case Lot-Wt.
		L	W	H	
S1328D	15 Qt.	13 <sup>5</sup> / <sub>8</sub>	x 11 <sup>13</sup> / <sub>16</sub>	x 8	4-17.3 lbs.
<b>COVER</b>					
1328-2	Solid — Fits above pan			4-8.5 lbs.	

S1328D has an offset shoulder extending 2" above steam table opening.

MADE TO ORDER.



J-K. OFFSET SHOULDER PANS

800-237-3655

All Pan Capacities Based On A Fluid Fill Level To The Rim.

www.polarware.com

## Steam Pan Accessories

### L. WIRE GRATES

Number	Description	Dimensions (In.) L x W x H	Case Lot-Wt.
T302W	Third Size	10 <sup>1</sup> / <sub>4</sub> x 5 <sup>1</sup> / <sub>8</sub> x 7 <sup>7</sup> / <sub>8</sub>	12-5.7 lbs.
T1312W	Half Size	10 <sup>1</sup> / <sub>8</sub> x 8 <sup>1</sup> / <sub>8</sub> x 7 <sup>7</sup> / <sub>8</sub>	12-7.9 lbs.
T2000W	Full Size	18 x 10 x 5 <sup>5</sup> / <sub>8</sub>	12-14.6 lbs.
T2416W	Bun Pan Size	24 <sup>1</sup> / <sub>2</sub> x 16 x 5 <sup>5</sup> / <sub>8</sub>	6-17.6 lbs.

All Wire Grates are CHROME PLATED.

### M. DOME COVERS

Number	Description	Dimensions (In.) L x W x H	Case Lot-Wt.
2002E	Solid	21 <sup>1</sup> / <sub>8</sub> x 13 x 2 <sup>1</sup> / <sub>4</sub>	6-17.9 lbs.
T2002H	Hinged w/Clips	21 <sup>1</sup> / <sub>8</sub> x 13 x 2 <sup>1</sup> / <sub>4</sub>	6-21.5 lbs.

2002E solid cover is NSF-listed.

### N. SLIDE-ON TRANSPORT COVER (FOR FULL SIZE PANS)



Number	Description	Case Lot-Wt.
2000S-2	Full Size Transport Cover	1-3.8 lbs.

### O. FALSE BOTTOMS

Number	Description	Dimensions (In.) L x W x H	Case Lot-Wt.
T2000L	Full Size	17 x 8 <sup>3</sup> / <sub>4</sub> x 3 <sup>3</sup> / <sub>8</sub>	10-19.1 lbs.
T1312L	Half Size	10 <sup>1</sup> / <sub>2</sub> x 8 <sup>1</sup> / <sub>4</sub> x 3 <sup>3</sup> / <sub>8</sub>	10-11.3 lbs.

### P. ADAPTER BARS — Fit 19<sup>1</sup>/<sub>8</sub>" x 11<sup>1</sup>/<sub>8</sub>" Opening



Number	Dimensions (In.) L x H	Case Lot-Wt.
1U	12 <sup>5</sup> / <sub>16</sub> x 3 <sup>3</sup> / <sub>4</sub>	12-2.6 lbs.
1020	20 <sup>1</sup> / <sub>2</sub> x 3 <sup>3</sup> / <sub>4</sub>	12-4.1 lbs.



L. WIRE GRATES



M. DOME COVERS



N. SLIDE-ON TRANSPORT COVER



O. FALSE BOTTOMS



P. ADAPTER BARS

## SPECIALTY PANS

### Q. TRANSPORT PANS AND COVERS



Heavy Weight (20 Ga.)

Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
<b>FULL SIZE</b>			
F2000	7 <sup>1</sup> / <sub>2</sub> Qt.	20 <sup>3</sup> / <sub>4</sub> x 12 <sup>3</sup> / <sub>4</sub> x 2 <sup>1</sup> / <sub>2</sub>	6-20.3 lbs.
F2004	14 <sup>1</sup> / <sub>2</sub> Qt.	20 <sup>3</sup> / <sub>4</sub> x 12 <sup>3</sup> / <sub>4</sub> x 4 <sup>1</sup> / <sub>8</sub>	6-26.7 lbs.
F2006	24 Qt.	20 <sup>3</sup> / <sub>4</sub> x 12 <sup>3</sup> / <sub>4</sub> x 6 <sup>1</sup> / <sub>8</sub>	6-28.2 lbs.

#### COVERS

F2000-2\* Solid — Fits all above pans 6-20.8 lbs.

#### HALF SIZE

F1311	4 Qt.	12 <sup>3</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>2</sub>	6-11.3 lbs.
F1314	7 Qt.	12 <sup>3</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> x 4	6-16.3 lbs.
F1316	10 <sup>1</sup> / <sub>4</sub> Qt.	12 <sup>3</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> x 6	6-18.8 lbs.

#### COVER

1311F-2\* Solid — Fits all above pans 6-12.0 lbs.

BOTH FULL AND HALF SIZE PANS ARE **MADE TO ORDER**.

\*Transport covers are tight fitting to prevent spillage.



Q. TRANSPORT PANS



R. PANS WITH DROP-DOWN HANDLES

### POLAR WARE Transport Pans

- ◆ Sturdy 20 gauge stainless steel construction
- ◆ Stackable design for secure transport

### R. PANS WITH DROP-DOWN HANDLES AND NOTCHED COVERS



Standard Weight (22 Ga.)

Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
<b>FULL SIZE</b>			
EZ2020	7 <sup>1</sup> / <sub>2</sub> Qt.	20 <sup>3</sup> / <sub>4</sub> x 12 <sup>3</sup> / <sub>4</sub> x 2 <sup>1</sup> / <sub>2</sub>	6-20.3 lbs.
EZ2040	14 <sup>1</sup> / <sub>2</sub> Qt.	20 <sup>3</sup> / <sub>4</sub> x 12 <sup>3</sup> / <sub>4</sub> x 4 <sup>1</sup> / <sub>8</sub>	6-26.7 lbs.
EZ2060	24 Qt.	20 <sup>3</sup> / <sub>4</sub> x 12 <sup>3</sup> / <sub>4</sub> x 6 <sup>1</sup> / <sub>8</sub>	6-28.2 lbs.

#### COVER

EZ2000-6 Solid — Fits all above pans 6-20.8 lbs.

#### HALF SIZE

EZ1220	4 Qt.	12 <sup>3</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> x 2 <sup>1</sup> / <sub>2</sub>	6-11.3 lbs.
EZ1240	7 Qt.	12 <sup>3</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> x 4	6-16.3 lbs.
EZ1260	10 <sup>1</sup> / <sub>4</sub> Qt.	12 <sup>3</sup> / <sub>4</sub> x 10 <sup>1</sup> / <sub>2</sub> x 6	6-18.8 lbs.

#### COVER

EZ1200-6 Solid — Fits all above pans 6-12.0 lbs.

BOTH FULL AND HALF SIZE ARE **MADE TO ORDER**.

800-237-3655

All Pan Capacities Based On A Fluid Fill Level To The Rim.

www.polarware.com

## Speciality Pans

### S. FULL SIZE DELI PANS (165 SERIES) Fit 15¼" x 9¼" Opening



Standard Weight (22 Ga.)

Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
E1650	5 <sup>5</sup> / <sub>8</sub> Qt.	16½ x 10 x 2½	6-12.5 lbs.
E1654	6 <sup>7</sup> / <sub>8</sub> Qt.	16½ x 10 x 4	4-9.7 lbs.

#### COVER

1650-2	Solid — Fits all above pans	6-9.3 lbs.
--------	-----------------------------	------------

### T. HALF SIZE DELI PANS (165 SERIES) Fit 9¼" x 7½" Opening



Standard Weight (22 Ga.)

Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
E1082	2½ Qt.	10 x 8¼ x 2½	6-7.2 lbs.
E1084	4 Qt.	10 x 8¼ x 4	6-8.5 lbs.

#### COVER

1082-2	Solid — Fits all above pans	6-6.7 lbs.
--------	-----------------------------	------------



S. FULL SIZE DELI PAN



T. HALF SIZE DELI PAN

### U. UTILITY PANS



Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
43	5 <sup>5</sup> / <sub>8</sub> Qt.	5 <sup>3</sup> / <sub>8</sub> x 4 x 2 <sup>5</sup> / <sub>8</sub>	12-5.0 lbs.
63	1 <sup>1</sup> / <sub>8</sub> Qt.	6 <sup>1</sup> / <sub>8</sub> x 6 <sup>1</sup> / <sub>8</sub> x 2 <sup>7</sup> / <sub>8</sub>	12-7.3 lbs.
952	1 <sup>1</sup> / <sub>8</sub> Qt.	8 <sup>7</sup> / <sub>8</sub> x 5 x 2	12-7.3 lbs.
953	1 <sup>5</sup> / <sub>8</sub> Qt.	8 <sup>7</sup> / <sub>8</sub> x 5 x 3	12-8.6 lbs.
1002	1½ Qt.	10 x 6½ x 2	12-10.3 lbs.
1202	2½ Qt.	12¼ x 7¾ x 2¼	12-16.0 lbs.

#### COVERS

43-2	Solid — Fits #43	12-3.5 lbs.
63-2	Solid — Fits #63	12-5.1 lbs.
952-2	Solid — Fits #952	12-5.8 lbs.
1002-2	Solid — Fits #1002	12-8.5 lbs.
1202-2	Solid — Fits #1202	12-11.3 lbs.

Covers 43-2 and 63-2 are not NSF-listed.



U. UTILITY PANS #63 AND #43 WITH COVERS

### V. BAKE PANS



Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
1302	4 Qt.	13 <sup>7</sup> / <sub>8</sub> x 9 <sup>7</sup> / <sub>8</sub> x 2¼	6-11.9 lbs.
1402	4 <sup>3</sup> / <sub>8</sub> Qt.	14 <sup>7</sup> / <sub>8</sub> x 10 <sup>3</sup> / <sub>8</sub> x 2¼	6-13.3 lbs.

### W. LOAF PANS



Number	Capacity	Dimensions (In.) L x W x H	Case Lot-Wt.
4V	1¾ Qt.	8¾ x 4 <sup>5</sup> / <sub>8</sub> x 3 <sup>1</sup> / <sub>8</sub>	12-9.0 lbs.
6V	2 <sup>7</sup> / <sub>8</sub> Qt.	10 <sup>5</sup> / <sub>16</sub> x 5 <sup>1</sup> / <sub>2</sub> x 4	12-12.8 lbs.

### X. SERVING TRAYS



Number	Description	Dimensions (In.) L x W x H	Case Lot-Wt.
10F	with Rolled Bead	10 x 6½ x ¾	6-3.5 lbs.
13F	with Rolled Bead	13 <sup>11</sup> / <sub>16</sub> x 9 <sup>13</sup> / <sub>16</sub> x ¾	6-9.9 lbs.
15F	with Rolled Bead	15 <sup>1</sup> / <sub>8</sub> x 10 <sup>5</sup> / <sub>8</sub> x ¾	6-10.0 lbs.
17F	with Rolled Bead	17 x 11 <sup>5</sup> / <sub>8</sub> x ¾	6-12.5 lbs.
19F	with Rolled Bead	19 <sup>1</sup> / <sub>8</sub> x 12 <sup>5</sup> / <sub>8</sub> x ¾	6-14.5 lbs.
1520	with Rolled Bead	21¼ x 16¼ x 7/8	6-22.8 lbs.
1525	with Flat Flange	25 x 15 x 5/8	6-24.5 lbs.



V. BAKE PAN



W. LOAF PAN



X. SERVING TRAY

800-237-3655

All Pan Capacities Based On A Fluid Fill Level To The Rim.

www.polarware.com